

Children from birth to age three years automatically qualify for early intervention services if they have a documented medical diagnosis of any of the following conditions.

NEW: 1p36 Deletion syndrome	Limb Reduction Defect
49, XXXXY syndrome	Microcephaly
9p Deletion syndrome	Microphthalmia
Aicardi syndrome	Möbius Sequence
Albinism	Muscular Dystrophy
Amyoplasia	Muscular Dystrophy, Duchenne Type
Angelman syndrome	Myopathies
Aniridia	Neonatal Abstinence syndrome (NAS)
Anophthalmia	Neurofibromatosis Type 1
Anoxic brain injury	Neurotrauma, inflicted
Apert syndrome	Niemann-Pick disease
Arthrogyrosis	Optic Atrophy
Autism Spectrum Disorders	Optic Nerve Hypoplasia
Bardet-Biedl syndrome	Osteogenesis imperfecta
Brachial Plexopathy	Pervasive Developmental Disorder (PDD), NOS
Brain Malformation, congenital	Phthisis Bulbi
Cerebral Palsy	Pierre-Robin syndrome
CHARGE syndrome	Prader-Willi syndrome
Cornelia de Lange syndrome	Retinal Detachment
Cortical Visual Impairment	Retinopathy of Prematurity (ROP), Stage 4/5
Cri du chat syndrome	Rubenstein-Taybi syndrome
Cytomegalovirus (CMV), congenital	Septo-Optic Dysplasia
Deafblind delayed	Spina Bifida
Delayed Visual Maturation (DVM)	Spinal Cord Injury with Cord Involvement
DiGeorge/Velocardiofacial syndrome	Spinal Muscular Atrophy (SMA)
Down syndrome (Trisomy 21)	Sturge-Weber syndrome
Encephalocele	Syphilis, congenital
Failure to Thrive	Tethered Cord syndrome (TCS)
Familial Exudative Vitreoretinopathy (FEVR)	Treacher Collins syndrome
Fetal Alcohol syndrome	Trisomy 13 (Patau syndrome)
Fragile X syndrome	Trisomy 18 (Edwards syndrome)
Goldenhar syndrome	Trisomy 21 (Down syndrome)
Hearing loss	Tuberous Sclerosis
Herpes, congenital	Unbalanced Chromosomal Translocation
Hunter syndrome	VACTERL association
Hurler-Scheie syndrome	Ventilator dependence
Hypoxic Ischemic Encephalopathy (HIE)	Williams syndrome
Kleefstra (9q34 Deletion) syndrome	Wolf-Hirschhorn syndrome
Klinefelter syndrome	
Lead Poisoning, venous blood level $\geq 10\text{mcg/dL}$	
Leber's Congenital Amaurosis	

NICU grads with the following conditions are automatically eligible until their first birthday.

- NEW: NICU Other
- Extremely Low Birth Weight (<1000g)
- Extremely preterm (<28 wks)
- Very low birth weight (<1500g) AND very preterm (28-31 wks)
- Fluctuating tone
- Full/partial NG/NJ/G tube required
- Inconsolability
- Learning to eat difficult/slow
- Poor coord suck/swallow/breath
- Severe sleep disorder
- Significant irritability, neuro-based
- Significant tremors at rest
- Unable to come to quiet alert state
- Unable to take 100% oral nutrition
- Unusually high or low tone

NOTE: When an initial diagnosis is acute in nature, it may be appropriate to establish ongoing eligibility by Standard Score or Informed Clinical Opinion.

For more information, please refer to Baby Watch's Eligibility Criteria policy.